imagePROGRAF TX-5400



Re-engineering Tomorrow's **Demand for Quality**



The Professional Large-Format Print System

The imagePROGRAF TX-5400 44" printer is designed to make light work of printing superbly detailed and vibrant output in blazing speed. From printing posters to point-of-sale materials to CAD drawing, gain a competitive advantage with a host of productivity features such as Dual Roll Feeding or Take Up Unit, High-capacity Stacker and Auto Roll Loading and Switching.

THE TX-SERIES CORE TECHNOLOGIES

The TX series is an embodiment of print technology of the highest order. Employing high-precision mechanical platform and high-speed processing engine, together with the latest FINE print head and new LUCIA TD ink, the TX series deliver stunning prints of the finest details and excellent colour expression in breaking speed.



HIGH PRECISION MECHANICAL PLATFORM

The newly engineered unibody structure provides a strong platform for stable print head scanning, resulting in precise droplet placement. The perfect combination of speed and high-quality printing is achieved with this new design.



PRINTING TECHNOLOGY

The TX series Print Technology uses new LUCIA TD pigment ink which produces excellent quality in fine lines reproduction and sharp text in drawings on both coated and uncoated paper.



The all-pigment LUCIA TD ink realizes high density of black and minimizes bleeding by using two types of black ink simultaneously.





mechanical platform

High-speed image processing engine

Printing technology

HIGH SPEED IMAGE PROCESSING ENGINE



The L-COA PRO processing chips forms

a high-precision control engine that performs the processing of massive image data, generates the printing data, and controls the optimal ink layout that produces high-resolution prints, delivering supreme print quality at high speed.

The new LUCIA TD ink system gives vibrant colors in poster printing, has excellent color fastness to minimize color fading and even has great outdoor weather resistance with water resistant media.

TX series employs a newly developed FINE print head, PF-06, which is a 1.07 inch, 6-color channels with 15,360 nozzles. This newly developed printhead gives excellent quality through improved uniformity of ink density and colors. Fast, vibrant poster printing is possible even on inkjet plain paper.

AUTOMATIC MEDIA ROLL LOADING

A breakthrough in Canon technology where media can simply "be placed" on the roll holder and media will automatically be loaded into the machine In Canon, we call it the "oku-dake" (put only) technology whereby this automatic media roll loading will save you time and make it error and fuss free.

USER PLACE ROLL AND WALK AWAY

DUAL ROLL PRINTING





In the TX series, high volume printing can now be achieved by loading up to 2 (TWO) 200m – length of plain paper. It also allows for switching between media for various printing applications either in different media types or sizes to have seamless and efficient printing.

Wireless networking in office environments is easy and trouble-free, which is convenient when connecting from multiple computers. With no need for

MULTI-POSITION BASKET

In the TX series, a multi position basket adapts to many positions and styles of use to suit how users print, the type of media, print size, and other conditions.



REGULAR STACKING Holds a single sheet up to 62 inches long.



FLAT STACKING Enables face-down flat stacking in the order they are ejected which prevents the printed surface of glossy paper from



becoming scratched. FRONT EJECTION (ADJUSTABLE STACKER DEPTH)

The basket is positioned directly below the delivery outlet, so printed paper can be removed in a natural posture without having to bend down or stretch out one's arms.

SLOPE



The printed paper is delivered in the straight condition to the basket cloth that is stretched to create a sloped shape. This effectively prevents scratches and smearing when users do not wish to touch the printed surface with their hands.

EASY ROLL LOADING : AUTO ROLL-FEEDING STARTS JUST BY PLACING A ROLL.



DETECTION

ADJUSTMENT

READY TO PRINT

WIRELESS PRINTING



a wired connection, users enjoy greater freedom in installation, with fewer restrictions.

HOT SWAPPING OF INKS



Even if the ink tanks run out of ink, the printers keep some ink in reserve sub-ink tanks, which is used automatically as needed to enable ink tank replacement during printing. Not only does this prevent downtime in continuous printing, it makes it easy to use all ink in the tanks, which can help cut costs.

HIGH CAPACITY STACKER

For high volume continuous printing, the TX series offers an optional high capacity stacker that can be set to three positions: (1) stacker position, (2) flat position, or (3) draped position. The different positions allows either the stacking of up to 100 A1 landscape sheets or up to 100 A0 portrait sheets equivalent to an entire 100 m roll of uncoated paper.

STANDARD BASKET



10 SHEETS

FLAT POSITION (FACE-DOWN)



100 SHEETS* A1 LANDSCAPE

DRAPED POSITION (FACE-DOWN)



100 SHEETS* A0 PORTRAIT

- Stacker holds drawings face-down in the order they are ejected
- · Output can be easily removed from a natural posture from the front
- *Canon Océ Red Label Paper PEFC 75gsm

Ø

LARGE INK TANKS

• 160ml, 330ml or 700ml



DUAL ROLL FEEDING

• Dual feeding rolls with rewinding functions



HIGH CAPACITY STACKER

 Allows either the stacking of up to 100 A1 landscape sheets or up to 100 A0 portrait sheets

HIGH SPEED PROCESSING

• High speed image processing engine

NEW PRINT HEAD

TX-5400 OVERVIEW

• Fast, supreme quality printing with 15,360 nozzles



NEW LUCIA TD INK

• All new 5 color pigment ink



USABILITY



AUTO ROLL LOADING AND SWITCHING

• Automatic paper feeding - user can leave after placing the roll media



MULTI POSITION BASKET

- Regular stacking
- Flat stacking
- Front ejection
- (adjustable stacker depth) • Slope



• Direct JPEG and PDF format printing



CONNECTIVITY

- Wi-Fi (IEEE 802.11b/g/n)
- Gigabit network & hi-speed USB



HOT FOLDERS ON PRINTER

• 5 hot folders can be setup to support various print workflows



RELIABILITY



ROBUST SECURITY

 Automatic encryption (AES-256 standard) of all data on the disk minimizes the risk of leaks in case of theft



ERGONOMIC COMPACT DESIGN TX-5400 : 1593 mm Wide

VIBRANT PRINTING ON PLAIN PAPER

• Newly developed Lucia TD ink has excellent reactivity between pigments and media components

HIGH PRECISION PRINTING

• Accurate dot placement is a key to superb image quality



💓 SOFTWARE SOLUTIONS

MEDIA **CONFIGURATION TOOL**



• All types of media can be supported

ACCOUNTING MANAGER

• Gives you control of your costs

DIRECT PRINT & SHARE

 Batch printing Cloud printing Shortcut printing

COPY & SCAN Ħ

HIGH SPEED SCANNING

• 6"ips color • 13"ips black & white

LARGE TOUCHSCREEN DISPLAY

• Dimensions 15.6" touchscreen panel

PARALLEL PROCESSING OF SCANNING AND PRINTING

• Parallel processing to streamline your work





imagePROGRAF MFP SOLUTION

The TX MFP T36 solution is a powerful Scan-to-Copy/File/Email/Cloud and print solution that combines speed and precision and comes with exceptional All in One (AIO) PC.

PRODUCT SPECIFICATIONS

Appearance Integrated MFP

Scan Speed

Scan Resolution 1200 dpi

Scan Technology Single sensor

Productivity Parallel print & scan Ease of Use

6 inch-per-sec in colour

Media Thickness Up to 2mm



New SmartWorks software



EXCELLENT VISIBILITY & OPERABILITY



TX MFP solution incorporates an all-in-one computer featuring a generous 15.6" touchscreen panel. Tasks such as previewing scanned images or doing editing work are easy, with simple, intuitive operations; so that you can check the image in detail before printing.

HIGH-QUALITY IMAGE SCANNING



Patented technology No: 8922849

Bi-directional illumination from dual LED arranged on the right and left of the sensor reduces shadowing at creases or folds. High quality scanned image can be obtained.

SINGLE SENSOR TECHNOLOGY



SingleSensor technology provides high-quality scanned image. As a single line sensor covers full width to scan, edge of small texts and thin lines can be sharply and clearly reproduced, without misalignment between sensors.

DIVERSE **MEDIA SUPPORT**



Front entry and rewind to front path (u-turn like), which is often used for regular scanning of plain paper document. Straight path of front entry to rear exit makes it possible to scan documents up to 2.0 mm thick.

ABUNDANT IMAGE ENHANCEMENT FEATURES

De-skew	abcde		abcde
White Point	abcde	•	abcde
Black Point	abcde	•	abcde
Sharpen	abcde	•	abcde
Mirror	abcde		abcde
Invert	abcde		abcde

Abundant image enhancement features are incorporated such as de-skew, white point, color reversal of diazo print and restoration of deteriorated original images, which is useful for archiving old drawings.

INTUITIVE **USER INTERFACE**



The MFP solution can be used with SmartWorks MFP, scanning software that simplifies large-format scanning or copying with intuitive operations on the touchscreen display; even unskilled or inexperienced users.

SOFTWARE SOLUTION

SECURITY

The TX series complies with the Advanced Encryption Standard, 256-bit, as was established by the U.S. National Institute of Standards and Technology, or NIST.



The self-encrypting hard disk automatically encrypts and decrypts image data as it is saved or printed and does not add to the processing load of print jobs.



Encrypting all data on the disk minimizes the risk of leaks in the case of theft. In this way, strict print data confidentiality is maintained, which gives users peace of mind in printer management.

In summary, the TX series meets security requirements in each area of secure communication, secure storage, secure interfaces, and secure management.

QUICK UTILITY TOOLBOX

Quick Utility Toolbox is home to all Canon imagePROGRAF TX Series printer software and tools.

ACCOUNTING MANAGER

DEVICE MANAGEMENT CONSOLE

In today's printing environment, it is more important than ever to understand how much each print job is costing your business. Compatible with both Mac and Microsoft platforms, Accounting Manager serves as a powerful feature used for accurately managing your print costs. With Accounting Manager, you can track how much ink and paper is being consumed on printing with up to 50 printers.



The Device Management Console software, is ideal for fleet management. This software lets you monitor the printer status of up to 50 printers from any location in the world, be notified by email when an error occurred, or check the amount of ink left in the printers without ever having to leave the comfort of your desk.



This software enables to batch print multiple files of different types such as PDF, JPEG, TIFF and HP-GL/2, without starting up the dedicated applications. In addition, the shortcut printing function can be used to perform printing according to preregistered print settings such as outputting printer, print quality, paper type and paper size, simply by dragging & dropping the files to be printed to the shortcut folder. Saved files can also be uploaded to cloud storage and shared

MEDIA CONFIGURATION TOOL

Recognising the expanding array of media options for large format printers and to further improve the versatility of these new imagePROGRAF models, Canon has developed a Media Configuration Tool, which allows customers to not only utilise Canon-branded media, but providing them the ability to make adjustments to printer settings to enhance the precision and quality of output achieved with custom media.

DIRECT **PRINT & SHARE**

among remote locations or across multiple sites.

imagePROGRAF TX-5400

The Professional Large-Format Print System





CANON SINGAPORE PTE. LTD. 1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522 Tel : 65-6799-8888 | Fax : 65-6799-8882 | www.canon-asia.com





CANON BUSINESS PARTNER / DEALER'S STAMP

This document is for information purpose only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document. Brands and product names are trademarks and/or registered trademarks of their respective owners.

Warning: Unauthorised recording of copyrighted materials may infringe on the rights of copyright owners and be contrary to copyright laws.

imagePROGRAF TX-5400



Re-engineering Tomorrow's **Demand for Quality**



The Professional Large-Format Print System

The imagePROGRAF TX-5400 44" printer is designed to make light work of printing superbly detailed and vibrant output in blazing speed. From printing posters to point-of-sale materials to CAD drawing, gain a competitive advantage with a host of productivity features such as Dual Roll Feeding or Take Up Unit, High-capacity Stacker and Auto Roll Loading and Switching.

SPECIFICATIONS

imagePROGRAF TX-5400

PRINTER						
Printer Type	5 Colour 44"					
Number of Nozzles	15,360 nozzles; (MBK 5,120 nozzle	s. BK. C. M. Y 2.560 nozzle	es each)			
Print Resolution	2400 dpi x 1200 dpi					
Nozzle Pitch	2400 dpi x 1200 dpi 1200dpi (2 lines)					
Line Accuracy	±0.1 % or less					
Ink Droplet Size	5 Picoliter					
Ink Capacity	160ml/330ml/700ml; Bundled Starter Ink : 330ml (MBK, BK, C, M, Y)					
Ink Type	Pigment inks/5 color - MBK/BK/C/M	Μ/Υ				
Printer Languages	SG Raster (Swift Graphic Raster), H	P-GL/2, HP RTL , PDF, JPE	G			
Standard Interfaces	USB B Port: Built in (Hi-Speed USB), Full Speed (12 Mbit/sec), High Speed (480 Mbit/sec), Bulk transfer, Series B (4 pins); USB A Port: USB Memory Direct Print Gigabit Ethernet: IEEE 802.3 10base-T, IEEE 802.3u 100base-TX / Auto-Negotiation, IEEE 802.3ab 1000base-T/ Auto-Negotiation, IEEE 802.3x Full Duplex Wireless LAN: IEEE802.11n/ IEEE802.11g/ IEEE802.11b					
Memory	Standard memory: 128GB (Physical memory 2GB)					
Hard Disk	500GB (Encrypted)					
PRINTING SPEED (A0 SIZE)						
Plain Paper (CAD Drawings)	00:37 Fast (Custo	m Q5)	00:40 Fast	01:10 Standard		
Heavyweight Coated paper HG	00:45 Fast (Custom Q5)		01:11 Fast	02:16 Standard		
(CAD Drawings)			00.12 5	Of OC Characterial		
Plain Paper (Poster) Heavyweight Coated paper HG (Poster)	00:42 Fast (Custom Q5)		00:42 Fast	01:26 Standard		
	01:43 Fast 02:37 Standard					
MEDIA HANDLING						
Media Width	Roll paper: 203.2 ~ 1118mm, Cut sheet: 203.2 ~ 1118mm					
Media Thickness	Roll paper / Cut: 0.07 ~ 0.8mm					
Minimum Printable Length	2032 mm					
Maximum Printable Length Maximum Media Roll Outer Diameter	Roll paper: 18 m, Cut sheet: 1.6 m					
Paper Feed Method Media Take-up Unit	Roll Paper: One Roll, Front-loading, Front Output; Added Roll Paper: One Roll, Front-loading, Front Output; Cut Sheet: Front-loading, Front Output (Manual feed using media locking lever)					
Borderless Printing Width (Roll Only)	Dual directions rolling take-up					
Media Output (Multiposition Basket)	594mm (ISO A1), 841mm (ISO A0), 10", 14", 17", 24", 36", 42", 44" Standard position: 1 cheet. Flat position: 42 landscape (<10 cheets glossy paper, <20 cheets glossy paper)					
Media Output (High Capacity Stacker)	Standard position: 1 sheet, Flat position: A2 landscape [<10 sheets glossy paper; <20 sheets coated or plain paper]					
	Standard Basket To Sheets, Harre					
DIMENSIONS & WEIGHT		4000 045 4064				
Packaged Dimensions W x D x H (mm) / Weight (kg)	Printer (with stand and pallet) 1820 x 915 x 1061 mm, Weight : 165kg					
	High Capacity Stacker 1464 x 906 x 291 mm, Weight : 25kg					
Physical Dimensions	Roll Unit 1727 x 562 x 461 mm, Weight : 30kg Main Unit + Stand + Basket Basket Opened: 1593 x 984 x 1168 mm					
W x D x H (mm) / Weight (kg) (including Roll Holder Set and Roll unit, excluding ink and print head)		Basket Closed: 1593 x 766 x 1168 mm				
		114 kg (including Roll Holder Set, excluding ink and print head)				
	Main Unit + Roll Unit + Stand +	Stacker Opened: 1593 x 1188 x 1168 mm				
	High Capacity Stacker	Stacker Closed: 1593 x 1122 x 1168 mm				
		146 kg (including Roll Holder Set, excluding ink and print head)				
POWER AND OPERATING REQU	JIREMENTS					
Power Supply	AC 100-240V (50-60Hz)					
Power Consumption	Operation: 105W or less, Sleep mode: 3.6W or less, Power off : 0.3W or less					
Operating Environment	Temperature: 15~30°C, Humidity: 10~80% RH (no dew condensation)					
Acoustic Noise	Power Operation: 6.9 Bels or less					
	Pressure Operation: 51dB (A) or less; Standby: 35dB (A) or less					
OPTIONS						
Roll Unit	RU-42					
High Capacity Stacker	SS-41					
2/3" Roll Holder	RH2-45					
CONSUMABLES						
Ink Tank	PFI-8110 (160ml) / PFI-8310 (330ml) / PFI-8710 (700ml)					
Print Head	PF-06					
Cutter Blade	CT-07					
Maintenance Cartridge	MC-30					
SCANNER						
Scan Width	36" (914mm)					
Min Scan width	6"(150mm)					
Max Scan length	8m (JPEG/PDF); 15.2m (TIFF)					
Scan Speed (Color/B&W)	6.0/13 ips					
Optical Resolution	1200dpi					
Max Document Thickness	2.0mm					
DC 0. C - C - C - C - C - C - C - C - C - C	15.6" AIO PC with SmartWorks MFP Software					
PC & Software Included						
Software Features Dimensions W x D x H (mm) / Weight (kg)		F, PDF/A, Multipage PDF.	User Accounts, job log. Collated sets. Custom paper siz	es. Adjust JPEG compression.		



CANON SINGAPORE PTE. LTD. 1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522 Tel : 65-6799-8888 | Fax : 65-6799-8882 | www.canon-asia.com



CANON BUSINESS PARTNER / DEALER'S STAMP This document is for information purpose only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document. Brands and product names are trademarks and/or registered trademarks of their respective owners. Warning: Unauthorised recording of copyrighted materials may infringe on the rights of copyright owners and may be contrary to copyright laws.