

MATERIAL SAFETY DATA SHEET

	IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING				
Product Name:	Canon Ink Tank BCI-8M				
Product Code:	0980A / F47-1801				
Manufacturer:	Canon Inc.				
	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan				
Supplier:	Canon Singapore Pte Ltd				
	1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632				
	cspl_msds@canon.com.sg				
Use of the Product:	Ink for Ink Jet Printer				

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic Name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5/ 200-289-5	5 - 10	None/ None	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	(as mist) TWA = 10 mg/m ³	Not established	Not established
Thiodiglycol	111-48-8 / 203-874-3	1 - 5	Xi / R36	Not established	Not established	Not established	Not established
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 5	F/ R11 Xi/ R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 200 ppm, 492 mg/m ³ STEL = 400 ppm, 984 mg/m ³	Not established	200 ppm, 500 mg/m ³
C.I. Direct Violet 107 - The substance name in accordance with 67/548/EEC is stated in SECTION 16	Not registered / 413-180-4	1 - 5	Xi/ R41	Not established	Not established	Not established	Not established
Ammonia derivative	Confidential	5 - 10	None/ None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None/ None	Not established	Not established	Not established	Not established



< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing magenta liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

 CO_2 , water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards: None

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Use with adequate ventilation. Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place. Protect from sunlight. Keep away from heat and flame. Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Not established for this ink. (See also SECTION 2)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

- **Eye/Face Protection:** Required
 - 🗙 Not Required
- Skin Protection:
- Required
 Not Required



SECTION 9

MATERIAL SAFETY DATA SHEET

PHYSICAL AND CHEMICAL PROPERTIES

Magenta liquid **Appearance:** Odor: Slight odor pH: 9 - 10 **Boiling Point/Range(°C):** Not available Melting Point/Range(°C): Not available **Decomposition Temperature(°C):** Not available Flash Point(°C): 56.0 (Tag. Closed Cup. Combustion is not sustainable.) Not available Flammable (Explosive) Limits: Autoignition Temperature(°C): Not available Flammability: Classified as "combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC. **Explosive Properties:** None **Oxidizing Properties:** None Vapor Pressure : Not available Vapor Density : Not available **Density / Specific Gravity:** 1.0 - 1.1 Water Solubility : Miscible **Fat Solubility :** Not available Partition Coefficient (n-Octanol/Water): Not available **Percent Volatile (%):** 60 - 80 Not available **Evaporation Rate:** Viscosity (mPa s): 1 - 5 STABILITY AND REACTIVITY **SECTION 10 Stability:** X Stable ☐ Unstable **Conditions to Avoid:** None Materials to Avoid: Acids, bases, oxidizing materials and reducing agents CO, CO₂, NOx, SOx and Ammonia **Hazardous Decomposition Products: Hazardous Polymerization:** May Occur Will Not Occur

None

Conditions to Avoid:



SECTION 11 TOXICOLOGICAL INFORMATION			
Acute Toxicity:			
Inhalation:			
Not available			
Ingestion:			
Not available			
Eye:			
Minimal irritant (rabbit)			
OECD Guidelines No.405 (1987), 92/69/EEC Method B5			
Skin:			
Mild irritant (rabbit)			
OECD Guidelines No.404 (1992), 92/69/EEC Method B4			
Sensitization:			
Non-sensitizer (guinea pig)			
OECD Guidelines No.406 (1992), 92/69/EEC Method B6			
Mutagenicity:			
Ames test: Negative (S. typhimurium & E. Coli)			
Reproductive Toxicity:			
Not available			
Carcinogenicity:			
Not available			
Others:			
Not available			



MATERIAL SAFETY DATA SHEET

	MATERIAL SAFETY DATA SHEET	Product Code: 0980A / F47-1801			
SECTION 12 E	COLOGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradability:	Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Not available				
Other Adverse Effec	cts: Not available				
SECTION 13 DISPOSAL CONSIDERATIONS Method of Disposal: Disposal should be subject to federal, state and local laws.					
SECTION 14 T	TRANSPORT INFORMATION				
UN #:	None				
UN Shipping Name:	None				
UN Classification:	None				
UN Packing Group:	None				
Marine Pollutant:	☐ Yes Chemical name (wt%): X No				
Special Precautions:	None				
< EU Information > Information on the I	REGULATORY INFORMATION Label: ation: Not required				
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Com Not required	ponent(s):				
Special Precauti Not required	ons under 1999/45/EC Annex V:				
Specific Provisions in Relation to Protection of Man or the Environment:					
76/769/EEC:	Not regulated				
(EC)2037/2000:	Not regulated				
(EC)304/2003:	Not regulated				
Others:	None				

Canon

< USA Information >

Information on the Label under FHSA:

Sign	al Word:	Not required		
	ard warning Not required	:		
	ety Advice: Not required			
	ardous Com	ponent(s):		
_(T itle III §313 C hemical Na None			Weight %
Californ	ia Propositio			Weight %
_	None			
	la Informatio MIS Control	on > led Product:	Not applicable (Manufactured article)	
	alia Informat ement of Haz		Not classified as hazardous according to criter	ia of NOHSC.

SECTION 16 OTHER INFORMATION

<SECTION 2 Ingredient(s) / Substance name(s)>

"C. I. Direct Violet 107 ":

"A mixture of: sodium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5 -triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy -1,3,5-triazin-2-yl] -2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy -isophthalate; 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy -isophthalate; 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy--isophthalate; 5-[8-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalic acid"

<R phrase list>

R11: Highly flammable.

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R67: Vapours may cause drowsiness and dizziness.

<Revised information from the previous version> Entirely revised.



Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.
- DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.
- TWA: Time Weighted Average.
- STEL: Short Term Exposure Limit.
- IARC: International Agency for Research on Cancer.
- NTP: National Toxicology Program (USA).
- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).
- FHSA: Federal Hazardous Substances Act (USA).
- WHMIS: Workplace Hazardous Materials Information System.
- NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.