

MSDS #:

Product Code:

IC1146-0101

0948A

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Cartridge BJI-201 M

Product Code: 0948A / F47-0501, F47-0551, F47-1461

Manufacturer: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Supplier: Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl_msds@canon.com.sg

Use of the Product: Ink for Ink Jet Printer

< Ingredient(s) > Chemical Name / Generic name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5/ 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Thiodiglycol	111-48-8 / 203-874-3	5 - 10	Xi / R36	Not established	Not established	Not established	Not established
-Benzoylamino-7-(p-me hyl-o-sulfophenylazo)-na hthalene-3,6-disulfonate trisodium salt	92408-46-3 / 403-670-6	2 - 6	None / R52/53	Not established	Not established	Not established	Not established
Poly(oxy-1,2-ethanediyl), alpha., alpha.'-[1,4-dimethyl-1,4 bis(2-methylpropyl)-2-b ttyne-1,4-diyl]bis[.omeg nhydroxy-	9014-85-1 / Not applicable	1 - 3	Xi / R41	Not established	Not established	Not established	Not established
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	65 - 85	None / None	Not established	Not established	Not established	Not established



MSDS #:

Page 2 of 8 IC1146-0101

Product Code: 0948A

< Carcinogen >

Chemical Name CAS # Reference

None

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink cartridge containing magenta liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Glycerin mist may cause physical irritation and difficulty breathing.

Ingestion:

Ingestion of glycerin may cause headache, nausea, dizziness, vomiting, drowsiness, abdominal pain and dullness.

Eye:

May cause minimal irritation based on the animal test data of this ink. (See SECTION 11)

Skin:

May cause mild irritation and no sensitization based on the animal test data of this ink. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



Page 3 of 8 IC1146-0<u>101</u> MSDS #:

	MISDS II.	101140 0101
MATERIAL SAFETY DATA SHEET	Product Code:	0948A

SECTION 5 FIRE FIG	GHTING MEASURES				
Fire Fighting Measures:					
Extinguishing Media:					
CO ₂ , water, foam or dr	y chemicals				
Unsuitable Extinguishing Media: None					
Special Fire Fighting Procedures: None					
Unusual Fire and Explos None	sion Hazards:				
Fire and Explosive Propertie	es (See also Section 9):				
Hazardous Combustion	Products:				
CO, CO ₂ , NOx and SO	Οx				
Other Properties: None					
None					
SECTION 6 ACCIDE	NTAL RELEASE MEASURES				
Personal Precautions:					
Avoid contact with skin, ey	ves and clothing.				
Environmental Precautions:					
	urface water or ground water.				
Method for Cleaning Up: Wipe off with wet cloth or	paper.				
SECTION 7 HANDLI	NG AND STORAGE				
Handling:					
	ves and clothing. When contact, wash out immediately.				
Storage:					
Keep in a cool and dry place	ce.				
Protect from sunlight. Keep out of the reach of children.					
	ndren.				
Specific Uses:					
Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.					
	*				
	RE CONTROLS / PERSONAL PROTECTION				
Exposure Guidelines: Not established for this inl	x. (Also refer to SECTION 2)				
Engineering Controls: Use adequate ventilation.					
Personal Protection Equipm	eent(s):				
Respiratory Protection:					
Eye/Face Protection:	☐ Required ☑ Not Required				
Skin Protection:	☐ Required ☑ Not Required				
	- .				

Canon

MATERIAL SAFETY DATA SHEET

Page 4 of 8 MSDS #: IC1146-0101

Product Code: 0948A

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Magenta liquid		
Odor:	Slight odor		
pH:	7.0 - 9.5		
Boiling Point/Range(°C):	Not available		
Melting Point/Range(${}^{\circ}C$):	Not available		
Decomposition Temperature (${}^{\circ}C$):	Not available		
Flash Point(°C):	Estimate : None		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature (°C):	Not available		
Flammability:	Neither flammable nor combustible.		
Explosive Properties:	None		
Oxidizing Properties:	None		
Vapor Pressure :	Not available		
Vapor Density:	Not available		
Density / Specific Gravity:	1.04 - 1.10		
Water Solubility :	Miscible		
Fat Solubility:	Not available		
Partition Coefficient (n-Octanol/Water):	Not available		
Percent Volatile (%):	65 - 85		
Evaporation Rate:	Not available		
Viscosity (mPa s):	1.6 - 2.2		
SECTION 10 STABILITY AND R	EACTIVITY		
Stability:			
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
Hazardous Decomposition Products:	CO, CO ₂ , NOx, Ammonia and SOx		
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur		
Conditions to Avoid:	None		

MSDS #:

Product Code:

Page 5 of 8 IC1146-0101

0948A

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eve:

Minimal irritant, Maximum Group Mean Score = 8.7, Class 3 (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

Skin:

Mild irritant, Primary Irritation Index = 0.2 (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

Sensitization:

Non sensitizer, Sensitization rate = 0 % (0/10) (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

Mutagenicity:

Ames test: Negative (test strains: S.typhimurium)

Chromosome aberration test: Negative (test strains: Human peripheral blood lymphocytes)

Reproductive Toxicity:

Not available

Carcinogenicity:

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1146-0101
Product Code: 0948A

SECTION 12	ECOLOGICAL INFORMATION				
Mobility:	Not available				
Persistence /	Not available				
Degradability:	Not available				
Bioaccumulation:					
Ecotoxicity:	1-Benzoylamino-7-(p-methyl-o-sulfophenylazo)-naphthalene-3,6-disulfonate = trisodium salt (92408-46-3): Fish, Acute Toxicity Test: 96 hours LC50 > 1000 mg/l (Cyprinus carpio) OECD Guideline No.203(1984) & 84/449/EEC Method C1 Daphnia sp., Acute Immobilization Test and Reproduction Test: 24 hours NOEC 1000 mg/l (Daphnia magna) OECD Guideline No.202(1984) & 84/449/EEC Method C2 Alga, Growth Inhibition Test: The color of this substance inhibited cell growth. (Scenedesmus subspicatus) Indirect exposure; 0-72 Hours EbC50 40 mg/l, 0-72 Hours ErC50 25 mg/l Direct exposure; 0-72 Hours EbC50 103 mg/l, 0-72 Hours ErC50 73 mg/l OECD Guideline No.201(1984) & 92/69/EEC Method C3 & ISO 8692(1989)				
	NOEC : No Observed Effect Concentration				
Other Adverse Eff	fects: Not available				
SECTION 13	DISPOSAL CONSIDERATION				
Method of Disposa Disposal may be	al: e subject to federal, state and local laws.				
SECTION 14	TRANSPORT INFORMATION				
UN #:	None				
UN Shipping Nam	e: None				
UN Classification:	None				
UN Packing Group	None None				
Marine Pollutant:	☐ Yes Chemical name (wt%): ☒ No				
Special Precaution	s: None				
SECTION 15	REGULATORY INFORMATION				
< EU Information	>				
Information on the	ne Label: ication: Not required				
R-Phrase:	cation: Not required				
Not required	I .				
S-Phrase: Not required	I				
Dangerous Con None	mponent(s):				
Special Precau Not required	tions under 1999/45/EC Annex V:				
Specific Provision	s in Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated				
(EC)2037/2000	Not regulated				
(EEC)2455/92:	Not regulated				
Others:	None				



Page 7 of 8 IC1146-0101

MSDS #: IC1146-0101
Product Code: 0948A

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Revised information from the previous version>

Entirely revised.



MSDS #: _ Product Code: Page 8 of 8 IC1146-0101

0948A

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EEC)2455/92
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer. NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.