Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1186-0102 Product Code: 1559A / H11-6431

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon FX6 Cartridge

Product Code: 1559A / H11-6431

Manufacturer: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Supplier: Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl_msds@canon.com.sg

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) >

Chemical Name / Generic name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	confidential	40-50	None/ None	Not established	Not established	Not established	Not established
Iron oxide	1317-61-9/ 215-277-5	40-50	None/ None	Not established	Not established	Not established	Not established
Amorphous Silica	7631-86-9/ 231-545-4	1-2	None/ None	20 mppcf, 80(mg/m³)/%SiO ₂	10 mg/m³ (TWA)	Not established	4 mg/m³ (Inhalable fraction)

CAS#

Reference

< Carcinogen > Chemical Name

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Directive 67/548/EEC.

Not classified as dangerous.

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



MATERIAL SAFETY DATA SHEET

Page 2 of 6 TC1186-0102

MSDS #: TC1186-0102 Product Code: 1559A / H11-6431

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1186-0102 Product Code: 1559A / H11-6431

SECTION 8 EXPOSU Exposure Guidelines:	JRE CONTR	OLS / PERSONAL PROTECTION			
USA OSHA PEL (TWA): ACGIH TLV (TWA): DFG (MAK): (Also refer to SECTION 2	10 mg/m³ (Inh 4 mg/m³ (Inh	otal dust), 5 mg/m³ (Respirable fraction) halable fraction), 3 mg/m³ (Respirable fraction) halable fraction), 1.5 mg/m³ (Respirable fraction)			
Engineering Controls: Use adequate ventilation.					
Personal Protection Equipm	ent(s):				
Respiratory Protection:	☐ Required Not Required	ired			
Eye/Face Protection:	☐ Required ☑ Not Required				
Skin Protection:	tection: ☐ Required ☐ Not Required				
SECTION 9 PHYSIC	AL AND CH	EMICAL PROPERTIES			
Appearance:		Black fine powder			
Odor:		Slight plastic odor			
pH:		Not applicable			
Boiling Point/Range(°C):		Not applicable			
Melting Point/Range(°C):		100 - 150 (Softening point)			
Decomposition Temperature	e(°C):	> 200			
Flash Point(°C):		Not applicable			
Flammable (Explosive) Limits:		Not applicable			
Autoignition Temperature (°	C):	Not available			
Flammability:		Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))			
Explosive Properties:		Can form explosive dust-air mixtures when finely dispersed in air.			
Oxidizing Properties:		Not available			
Vapor Pressure:		Not applicable			
Vapor Density:		Not applicable			
Density / Specific Gravity:		1.4 - 1.8			
Water Solubility:		Negligible			
Fat Solubility:		Partially soluble in toluene and xylene.			
Partition Coefficient (n-Octa	nol/Water):	Not applicable			
Percent Volatile:		Negligible			
Evaporation Rate:		Not applicable			
Viscosity (mPa s):		Not applicable			

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1186-0102 Product Code: 1559A / H11-6431

SECTION 10 STABILITY AND	REACTIVITY				
Stability:					
Conditions to Avoid:	None				
Materials to Avoid:	Strong oxidizers				
Hazardous Decomposition Products:	CO, CO2				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				
SECTION 11 TOXICOLOGICAL INFORMATION					
Acute Toxicity: Inhalation: Not available					
Ingestion: Estimate: Rat, LD50 > 2000 mg/kg (See Section 16)					
Eye: Estimate: Rabbit, transient slight	conjunctival irritation only. (See Section 16)				
Skin: Estimate: Rabbit, non-irritant (See Section 16)					
Sensitization: Estimate: Guinea pig, skin: Non-	-sensitizing (See Section 16)				
Mutagenicity: Estimate: Ames Test (S. typhimurium, E. coli): Negative (See Section 16)					
Reproductive Toxicity: Not available					
Carcinogenicity: Not available					
respirable-sized particles compar	response upon chronic inhalation exposure in rats to a toner enriched in red to commercial toner. No pulmonary change was found at 1 mg/m³ which is				

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at $1~\text{mg/m}^3$ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at $4~\text{mg/m}^3$, and a mild to moderate degree of fibrosis was observed in 92% of the animals at $16~\text{mg/m}^3$. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1186-0102 Product Code: 1559A / H11-6431

SECTION 12 E	COLOG	ICAL INFORMATION				
Mobility:		Not available				
Persistence / Degrad	lability:	Not available				
Bioaccumulation:		Not available				
Ecotoxicity:		Not available				
Other Adverse Effec	ets:	Not available				
SECTION 13 D	ICDOCA	I CONSIDED ATION				
 SECTION 13 DISPOSAL CONSIDERATION Method of Disposal: DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state and local laws. 						
SECTION 14 T	RANSP	ORT INFORMATION				
UN #:	2807	O-1-1 - 1-1 O-1-1-1-1-1-1-1-1				
UN Shipping Name:		zed material				
UN Classification:	9	and material				
UN Packing Group:						
Marine Pollutant:	☐ Yes No	Chemical name (wt%):				
Special Precautions:		ore of these products shipped together, by air, are regulated as magnetized material.				
SECTION 15 R	REGULA	TORY INFORMATION				
< EU Information $>$						
Information on the Symbol & Indica		ot required				
R-Phrase: Not required		1				
S-Phrase: Not required						
Dangerous Component(s): None						
Special Precautions under 1999/45/EC Annex V: Not required						
Specific Provisions 76/769/EEC:	in Relati Not regu	on to Protection of Man or the Environment:				
(EC)2037/2000:	Not regu	lated				
(EC)304/2003:	Not regu	lated				
Others:	None					
< USA Information >						
Information on the Label:						
Signal Word:	Not required					
Hazard warning: Not required						



MATERIAL SAFETY DATA SHEET

MSDS #: TC1186-0102 Product Code: 1559A / H11-6431

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials on this product.

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

 $EU\;ILV:\;Indicative\;Limit\;Values\;for\;Occupational\;Exposure\;under\;EU\;Directive\;91/322/EEC\;and\;2000/39/EC.$

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.