

(Inhalable

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING Canon Cartridge 316 Black (for Laser Beam Printer) **Product Name:** Supplier: Canon Singapore Pte Ltd 1 HarbourFront Avenue, **Product Code:** 1980B / R04-6134 #04-01, Keppel Bay Tower, **Company Name:** Canon Inc. Singapore 098632 Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan cspl_msds@canon.com.sg Use of the Product: Toner for electrophotographic apparatus **SECTION 2** HAZARDS IDENTIFICATION **EU Classification:** Not classified as dangerous. Emergency Overview: Black fine powder, slight plastic odor. **Potential Health Effects and Symptoms:** Inhalation: Exposure to excessive amounts of dust may cause physical irritation to respiratory tract. **Ingestion:** Low acute toxicity. Ingestion is a minor route of entry for intended use of this product. Eye: May cause transient slight irritation. Skin: May be non-irritant. **Chronic Effects:** Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust. Medical Conditions Generally known to be Aggravated by Exposure: Not determined SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS < Ingredient(s) > Chemical Name / CAS #/ Weight EU Symbol/ USA ACGIH TLV **EU ILV** DFG MAK EC# % **R-Phrase OSHA PEL** Generic Name Confidential 75-85 Not established Not established Not established Styrene acrylate None/ None Not established copolymer Wax Confidential 5-10 None/ None Not established Not established Not established Not established Carbon black 1333-86-4/ None/ None 3.5 mg/m³ (TWA) 3.5 mg/m³ (TWA) Not established Not established 1-6 215-609-9 7631-86-9/ 4 mg/m^3 Amorphous silica 1 - 2None/ None 20 mppcf, Not established Not established

			fract	tion)
< Carcinogen >				
Chemical Name		CAS#	Reference	
Carbon black (1-6%)		1333-86-4	IARC: Group 2B. NTP; OSHA; Annex I to 67/548/EEC: Not listed.	

 $80 (mg/m^3)/\% SiO_2$

< PBT substance and vPvB substance >

231-545-4

No component of this toner is a PBT or vPvB subtance under Regulation (EC)1907/2006.



SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.



SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

	15 mg/m^3 (Total dust), 5 mg/m^3 (Respirable fraction)
ACGIH TLV (TWA):	10 mg/m^3 (Inhalable fraction), 3 mg/m^3 (Respirable fraction)
DFG (MAK):	4 mg/m^3 (Inhalable fraction), 1.5 mg/m^3 (Respirable fraction)
(Also refer to SECTION 3))

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

Respiratory Protection:	Required
	Not Required
Eye/Face Protection:	Required
	Not Required
Skin Protection:	Required
	Not Required

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Black fine powder
Slight plastic odor
Not applicable
Not applicable
80-130 (Softening point)
> 200
Not applicable
Not applicable
Not available
Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))
Can form explosive dust-air mixtures when finely dispersed in air.
Not available
Not applicable
Not applicable
1.0-1.2
Negligible
Partially soluble in toluene and xylene.
Not applicable
Negligible
Not applicable
Not applicable

			Page 4 of 7
Canon		MSDS #:	TC1667-0102
	MATERIAL SAFETY DATA SHEET	Product Code:	1980B / R04-6134
SECTION 10 STABILITY	AND REACTIVITY		
Stability:	⊠ Stable □ Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Strong oxidizers		
Hazardous Decomposition Produ	ucts: <u>CO, CO2</u>		
Hazardous Polymerization:	☐ May Occur ⊠ Will Not Occur		
Conditions to Avoid:	None		
SECTION 11 TOXICOLOG	GICAL INFORMATION		
Acute Toxicity: Inhalation: Not available			
Ingestion: Estimate: Rat, LD50 > 2000) mg/kg (See SECTION 16)		
Eye: Estimate: Rabbit, transient	slight conjunctival irritation only. (See SECTION 1	5)	
Skin:			
Estimate: Rabbit, non-irrita	nt (See SECTION 16)		
Sensitization: Estimate: skin: Non-sensitiz	zing (See SECTION 16)		
Mutagenicity:			
Ames Test (S. typhimurium	a, E. coli): Negative		
Reproductive Toxicity: Not available			
but sufficient animal evider	a black as a Group 2B carcinogen, for which there is ace. The latter is based upon the development of lung to powdered carbon black at levels that induce part	g tumors in rat	s receiving

Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m^3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m^3 , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m^3 .

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no

association between toner exposure and tumor development in rats.



MATERIAL SAFETY DATA SHEET

SECTION 12 ECOLOGICAL INFORMATION			
Mobility:	Not available		
Persistence / Degradability:	Not available		
Bioaccumulation:	Not available		
Ecotoxicity:	Estimate: Fish, 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans, 48h EL50 > 1000 mg/l (WAF) Estimate: Algae, EbL50(72h), ErL50(0-72h) > 1000 mg/l (WAF) (See SECTION 16)		
Other Adverse Effects:	Not available		

SECTION 13 DISPOSAL CONSIDERATIONS

Method of Disposal:

DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state and local laws.

SECTION 14	TRANSPORT INFORMATION
UN #:	None
UN Shipping Name	None
UN Classification:	None
UN Packing Group	None
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No
Special Precautions	S: None
SECTION 15	REGULATORY INFORMATION
< EU Information >	>
Information on th Symbol & Indic	e Label: cation: Not required
R-Phrase: Not required	
S-Phrase: Not required	
Dangerous Con Not required	<pre>iponent(s):</pre>
Special Precaut Not required	ions under 1999/45/EC Annex V:
Specific Provision	s in Relation to Protection of Man or the Environment:
76/769/EEC:	Not regulated
(EC)2037/2000:	Not regulated
(EC)304/2003:	Not regulated
Others:	None

< USA Information >		
Information on the Label under O	SHA:	
Signal Word: Not required		
Hazard warning:		
Not required		
Safety Advice:		
Not required		
Hazardous Component(s):		
Not required		
SARA Title III §313:		
Chemical Name		Weight %
None		
California Proposition 65:		
Chemical Name		Weight %
None		
< Canada Information >		
WHMIS Controlled Product:	Not applicable (Manufactured article)	
< Australia Information >		
Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.		

SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- DFG, List of MAK and BAT Values

- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003, (EC)1907/2006
- Canada Workplace Hazardous Materials Information System

- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

EU: European Union. OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC. DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft. TWA: Time Weighted Average. STEL: Short Term Exposure Limit. IARC: International Agency for Research on Cancer. NTP: National Toxicology Program (USA). WAF: Water Accommodated Fraction LL: Lethal Loading rate EL: Effective Loading rate OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA). FHSA: Federal Hazardous Substances Act (USA). WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission. PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.