

Page 1 of 7
MSDS #: TC1975-0104

Product Code: 3483B / R00-8004

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

Product Name:Canon Cartridge 326 (for Laser Beam Printer)Supplier: Canon Singapore Pte LtdProduct Code:3483B / R00-80041 HarbourFront Avenue,
#04-01, Keppel Bay Tower,
Singapore 008632

Address: Singapore 098632
Singapore 098632
cspl_msds@canon.com.sg

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 HAZARDS IDENTIFICATION EU Classification: Not classified as dangerous.

Emergency Overview: Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

SECTION 3	COMPOSITION/INFORMATION ON INGREDIENTS						
< Ingredient(s) > Chemical Name / Generic Name	CAS #/ EC #	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU OEL	DFG MAK
Styrene acrylate copolymer	Confidential	45-55	None/ None	Not established	Not established	Not established	Not established
Ferrite	Confidential	35-45	None/ None	Not established	Not established	Not established	Not established
Wax	Confidential	5-10	None/ None	Not established	Not established	Not established	Not established

< Carcinogen >

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

< PBT substance and vPvB substance >

No component of this toner is a PBT or vPvB subtance under Regulation (EC) No 1907/2006.

Page 2 of 7
MSDS #: TC1975-0104

Product Code: 3483B / R00-8004

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.



MATERIAL SAFETY DATA SHEET Product Code: 3483B / R00-8004

Page 3 of 7
MSDS #: TC1975-0104

THE STATE OF THE S

SECTION 8	EXPOSURE CONTR	ROLS / PERSONAL PROTECTION				
Exposure Guideli	nes:					
USA OSHA P ACGIH TLV (DFG MAK: (Also refer to S	TWA): 10 mg/m ³ (I 4 mg/m ³ (In	Total dust), 5 mg/m³ (Respirable fraction) (nhalable fraction), 3 mg/m³ (Respirable fraction) halable fraction), 1.5 mg/m³ (Respirable fraction)				
Engineering Cont Use adequate v						
Personal Protection	on Equipment(s):					
Respiratory F	Protection: ☐ Required ☐ Not Requ					
Eye/Face Pro	Eye/Face Protection: ☐ Required ☐ Not Required					
Skin Protection	n: Required Not Required					
SECTION 9	PHYSICAL AND CH	IEMICAL PROPERTIES				
Appearance:		Black fine powder				
Odor:		Slight plastic odor				
pH:		Not applicable				
Boiling Point/Ran	ge(°C):	Not applicable				
Melting Point/Range(°C):		100-150 (Softening point)				
Decomposition Temperature(°C):		> 200				
Flash Point(°C):		Not applicable				
Flammable (Explosive) Limits:		Not applicable				
Autoignition Temperature(°C):		Not available				
Flammability:		Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))				
Explosive Proper	ties:	Can form explosive dust-air mixtures when finely dispersed in air.				
Oxidizing Proper	ties:	Not available				
Vapor Pressure:		Not applicable				
Vapor Density:		Not applicable				
Density / Specific Gravity:		1.4-1.8				
Water Solubility:		Negligible				
Fat Solubility:		Partially soluble in toluene and xylene.				
Partition Coeffici	ent (n-Octanol/Water):	: Not applicable				
Percent Volatile:		Negligible				
Evaporation Rate:		Not applicable				
Viscosity (mPa s):		Not applicable				

Page 4 of 7 MSDS #: TC1975-0104 MATERIAL SAFETY DATA SHEET Product Code: 3483B / R00-8004

-					
SECTION 10 STA	BILITY AND	REACTIVITY			
Stability:					
Conditions to Avoid:		None			
Materials to Avoid:		Strong oxidizers			
Hazardous Decomposition Products:		<u>CO, CO2</u>			
Hazardous Polymerizat	tion:	☐ May Occur ☑ Will Not Occur			
Conditions to Avoid:		None			
SECTION 11 TOX	CICOLOGICA	AL INFORMATION			
Acute Toxicity: Inhalation: Not available					
Ingestion: Estimate: Rat, LD	050 > 2000 mg	/kg (See SECTION 16)			
Eye:					
Estimate: Rabbit,	transient sligh	t conjunctival irritation only. (See SECTION 16)			
Skin:					
Estimate: Rabbit, non-irritant (See SECTION 16)					
Sensitization: Estimate: skin: No	on-sensitizing	(See SECTION 16)			
Mutagenicity: Ames Test (S. typ	ohimurium, E. o	coli): Negative			
Reproductive Toxicity: Not available					
Carcinogenicity: Not available					
Othors					

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m^3 .

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 7

MSDS #: TC1975-0104 Product Code: 3483B / R00-8004

SECTION 12 ECOL	OGICAL INFORMATION
Mobility:	Not available
Persistence / Degradabilit	y: Not available
Bioaccumulation:	Not available
Ecotoxicity:	Estimate: Fish, 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans, 48h EL50 > 1000 mg/l (WAF)
	Estimate: Algae, ErL50(0-72h) > 1000 mg/l (WAF) (See SECTION 16)
Other Adverse Effects:	Not available
SECTION 13 DISPO	SAL CONSIDERATIONS
container, unless dust-e	oner container into fire; heated toner may cause severe burns. DO NOT shred a toner xplosion preventing measures are taken. Finely dispersed particles form explosive al should be subject to federal, state and local laws.
SECTION 14 TRAN	SPORT INFORMATION
UN #: <u>2807</u>	
UN Shipping Name: Magr	netized material
UN Classification: 9	
UN Packing Group: None	
Marine Pollutant: ☐ Y ⊠ N	
Special Precautions: 105 o	or more of these products shipped together, by air, are regulated as magnetized material.
SECTION 15 REGU	LATORY INFORMATION
< EU Information >	
Information on the Labo Symbol & Indication:	
R-Phrase: Not required	
S-Phrase: Not required	
Dangerous Componer Not required	nt(s):
Special Precautions us Not required	nder 1999/45/EC Annex V:
	elation to Protection of Man or the Environment:
, ,	nnex XVII (Restrictions):
Not r	egulated
(EC) No 1005/2009:	ogulated.
	egulated
(EC) No 689/2008: Not re	egulated
Others: None	



Page 6 of 7

MSDS #: TC1975-0104

Product Code: 3483B / R00-8004

< USA Information >

Information on the Label under OSHA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restrictions), 1999/45/EC
- $\ EU \ Regulation \ (EC) \ No \ 1005/2009, \ (EC) \ No \ 689/2008, \ (EC) \ No \ 1907/2006, \ (EC) \ No \ 1272/2008$
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]



MSDS #: TC1975-0104 Product Code: 3483B / R00-8004

Page 7 of 7

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.