

**Product Code:** 

# MATERIAL SAFETY DATA SHEET

MSDS #: Product Code: 1977B / R04-6141

Page 1 of 7 TC1817-0203

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **SECTION 1** 

COMPANY/UNDERTAKING

**Product Name:** Canon Cartridge 416 Yellow (for Multi Function Printer)

Supplier: Canon Singapore Pte Ltd 1 HarbourFront Avenue,

#04-01, Keppel Bay Tower, **Company Name:** Canon Inc. Singapore 098632 Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

cspl\_msds@canon.com.sg

Use of the Product: Toner for electrophotographic apparatus

1977B / R04-6141

**SECTION 2** HAZARDS IDENTIFICATION

**EU Classification:** Not classified as dangerous.

Emergency Overview: Yellow fine powder, slight plastic odor

**Potential Health Effects and Symptoms:** 

**Inhalation:** 

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

**Ingestion:** 

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

COMPOSITION/INFORMATION ON INGREDIENTS

None/ None

Eye:

May cause transient slight irritation.

Skin:

SECTION 3

May be non-irritant.

**Chronic Effects:** 

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	75-85	None/ None	Not established	Not established	Not established	Not established
Wax	Confidential	5-10	None/ None	Not established	Not established	Not established	Not established
Pigment	Confidential	1-5	None/ None	Not established	Not established	Not established	Not established

## < Carcinogen >

Amorphous silica

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) 1272/2008.

20 mppcf,

 $80 \, (\text{mg/m}^3) / \% \, \text{SiO}_2$ 

Not established

Not established

 $4 \text{ mg/m}^3$ 

(Inhalable fraction)

## < PBT substance and vPvB substance >

7631-86-9/

231-545-4

No component of this toner is a PBT or vPvB subtance under Regulation (EC)1907/2006.

1-2

Date of Issue: April 22, 2009 Revised: August 25, 2009

## MATERIAL SAFETY DATA SHEET

Page 2 of 7
MSDS #: TC1817-0203

Product Code: 1977B / R04-6141

## SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

## Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

#### Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

## **Note to Physicians:**

None

## SECTION 5 FIRE FIGHTING MEASURES

## **Fire Fighting Measures:**

## **Extinguishing Media:**

CO2, water, dry chemicals

## **Unsuitable Extinguishing Media:**

None

## **Special Fire Fighting Procedures:**

None

#### **Unusual Fire and Explosion Hazards:**

Can form explosive dust-air mixtures when finely dispersed in air.

## Fire and Explosive Properties (See also SECTION 9):

## **Hazardous Combustion Products:**

CO2, CO

## **Other Properties:**

Not available

## SECTION 6 ACCIDENTAL RELEASE MEASURES

## **Personal Precautions:**

Avoid breathing dust.

## **Environmental Precautions:**

Do not wash away into sewer.

## **Method for Cleaning Up:**

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

## SECTION 7 HANDLING AND STORAGE

## Handling:

Avoid breathing dust.

Use with adequate ventilation.

## Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

## **Specific Uses:**

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Date of Issue: April 22, 2009 Revised: August 25, 2009



Page 3 of 7 MSDS #: TC1817-0203

MATERIAL SAFETY DATA SHEET Product Code: 1977B / R04-6141

## **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION Exposure Guidelines:** USA OSHA PEL (TWA): 15 mg/m<sup>3</sup> (Total dust), 5 mg/m<sup>3</sup> (Respirable fraction) ACGIH TLV (TWA): 10 mg/m<sup>3</sup> (Inhalable fraction), 3 mg/m<sup>3</sup> (Respirable fraction) 4 mg/m<sup>3</sup> (Inhalable fraction), 1.5 mg/m<sup>3</sup> (Respirable fraction) DFG MAK: (Also refer to SECTION 3) **Engineering Controls:** Use adequate ventilation. **Personal Protection Equipment(s): Respiratory Protection:** $\square$ Required Not Required ☐ Required **Eye/Face Protection:** Not Required **Skin Protection:** ☐ Required Not Required **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES **Appearance:** Yellow fine powder Odor: Slight plastic odor pH: Not applicable **Boiling Point/Range(°C):** Not applicable 80-130 (Softening point) **Melting Point/Range(°C): Decomposition Temperature**(°C): > 200 Flash Point(°C): Not applicable Flammable (Explosive) Limits: Not applicable **Autoignition Temperature(°C):** Not available Flammability: Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability **Explosive Properties:** Can form explosive dust-air mixtures when finely dispersed in air. **Oxidizing Properties:** Not available **Vapor Pressure:** Not applicable **Vapor Density:** Not applicable **Density / Specific Gravity:** 1.0 - 1.2Water Solubility: Negligible **Fat Solubility:** Partially soluble in toluene and xylene. Partition Coefficient (n-Octanol/Water): Not applicable **Percent Volatile:** Negligible **Evaporation Rate:** Not applicable Not applicable Viscosity (mPa s):

Date of Issue: April 22, 2009 Revised: August 25, 2009 MSDS #: TC1817-0203

MATERIAL SAFETY DATA SHEET Product Code: 1977B / R04-6141

Page 4 of 7

SECTION 10 STABILITY AND REACTIVITY					
Stability:	<ul><li></li></ul>				
Conditions to Avoid:	None				
Materials to Avoid:	Strong oxidizers				
Hazardous Decomposition Products:	CO, CO2				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				
SECTION 11 TOXICOLOGICAL INFORMATION					
Acute Toxicity: Inhalation: Not available					
Ingestion: Estimate: Rat, LD50 > 2000 mg/kg (See SECTION 16)					
Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16)					
Skin:					
Estimate: Rabbit, non-irritant (See SECTION 16)					
Sensitization: Estimate: skin: Non-sensitizing (See SECTION 16)					
Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative					
Reproductive Toxicity:  Not available					
Carcinogenicity: Not available					

## Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at  $1 \text{ mg/m}^3$  which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at  $4 \text{ mg/m}^3$ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at  $16 \text{ mg/m}^3$ .

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Date of Issue: April 22, 2009 Revised: August 25, 2009

Page 5 of 7

MSDS #: TC1817-0203 MATERIAL SAFETY DATA SHEET Product Code: 1977B / R04-6141

SECTION 12 ECOLOG	GICAL INFORMATION					
<b>Mobility:</b>	Not available					
Persistence / Degradability:	Not available					
Bioaccumulation:	Not available					
Ecotoxicity:	Estimate: Fish, 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans, 48h EL50 > 1000 mg/l (WAF) Estimate: Algae, ErL50(0-72h) > 1000 mg/l (WAF) (See SECTION 16)					
Other Adverse Effects:	Not available					
SECTION 13 DISPOSA	AL CONSIDERATIONS					
container, unless dust-exp	er container into fire; heated toner may cause severe burns. DO NOT shred a toner closion preventing measures are taken. Finely dispersed particles form explosive chould be subject to federal, state and local laws.					
SECTION 14 TRANSI	PORT INFORMATION					
UN #: None						
UN Shipping Name: None	hipping Name: None					
UN Classification: None						
UN Packing Group: None						
$\begin{array}{ccc} \textbf{Marine Pollutant:} & \bigsqcup & Yes \\ & \boxtimes & No \end{array}$	Chemical name (wt%):					
Special Precautions: None						
SECTION 15 REGULA	ATORY INFORMATION					
< EU Information >						
Information on the Label: Symbol & Indication: N	fot required					
R-Phrase:  Not required						
<b>S-Phrase:</b> Not required						
Dangerous Component( Not required	s):					
Special Precautions und Not required	er 1999/45/EC Annex V:					
Specific Provisions in Rela (EC) No 1907/2006 Ann	tion to Protection of Man or the Environment: ex XVII (Restrictions):					
Not reg	ulated					
(EC) <b>No 2037/2000:</b> Not reg	ulated					
(EC) No 689/2008: Not reg	ulated					
Others: None						

Date of Issue: April 22, 2009 Revised: August 25, 2009



# MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS #: TC1817-0203 Product Code: 1977B / R04-6141

#### < USA Information >

#### **Information on the Label under OSHA:**

Signal Word: Not required

**Hazard warning:** 

Not required

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

**SARA Title III §313:** 

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

Revised information from the previous version: SECTION 1, 12 and 15

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

#### **Literature References:**

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restrictions), 1999/45/EC
- EU Regulation (EC) No 2037/2000, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Date of Issue: April 22, 2009 Revised: August 25, 2009



Page 7 of 7 MSDS #: TC1817-0203

MATERIAL SAFETY DATA SHEET Product Code: 1977B / R04-6141

#### **Abbreviations:**

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue: April 22, 2009 August 25, 2009 Revised: