Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1225-0102

Product Code: 1369A / F41-6601

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon NP Toner (Black) for NP-1010 Copier

Product Code: 1369A / F41-6601

Manufacturer: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Supplier: Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl_msds@canon.com.sg

Use of the Product: Toner for electrophotographic apparatus

SECTION 2	COMPOSITION/INFORMATION ON INGREDIENTS						
< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	40-50	None/ None	Not established	Not established	Not established	Not established
Iron oxide	1317-61-9/ 215-277-5	40-50	None/ None	Not established	Not established	Not established	Not established
Styrene polymer Amorphous silica	Confidential 7631-86-9/231-545-4	5-15 1-2	None/ None None/ None	Not established 20 mppcf, 80(mg/m³)/%SiO ₂	Not established 10 mg/m³ (TWA)	Not established Not established	Not established 4 mg/m³ (Inhalable fraction)

< Carcinogen >

Chemical Name CAS# Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Practically non-toxic based on animal testing. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

Page 2 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1225-0102 Product Code: 1369A / F41-6601

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1225-0102 Product Code: 1369A / F41-6601

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION						
Exposure Guidelines:						
USA OSHA PEL (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction) ACGIH TLV (TWA): 10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction) DFG (MAK): 4 mg/m³ (Inhalable fraction), 1.5 mg/m³ (Respirable fraction) (Also refer to SECTION 2)						
Engineering Controls:						
Use adequate ventilation.						
Personal Protection Equipme	Personal Protection Equipment(s):					
Respiratory Protection: ☐ Required Not Required						
•	n: ☐ Required ☑ Not Required					
	☐ Required Not Required					
SECTION 9 PHYSICA	AND CHEMICAL PROPERTIES					
Appearance:	Black fine powder					
Odor:	Slight plastic odor					
pH:	Not applicable					
Boiling Point/Range($^{\circ}$ C):	Not applicable					
Melting Point/Range(°C):	100 - 150 (Softening point)					
Decomposition Temperature (C): > 200					
Flash Point(°C):	Not applicable					
Flammable (Explosive) Limit	Not applicable					
Autoignition Temperature(°C	: Not available					
Flammability:	Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))					
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.					
Oxidizing Properties:	Not available					
Vapor Pressure:	Not applicable					
Vapor Density:	Not applicable					
Density / Specific Gravity:	1.4 - 1.6					
Water Solubility:	Negligible					
Fat Solubility:	Partially soluble in toluene and xylene.					
Partition Coefficient (n-Octar	ol/Water): Not applicable					
Percent Volatile:	Negligible					
Evaporation Rate:	Not applicable					
Viscosity (mPa s):	Not applicable					

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1225-0102 Product Code: 1369A / F41-6601

SECTION 10 STABILITY AND	REACTIVITY			
Stability:	Stable Unstable □			
Conditions to Avoid:	None			
Materials to Avoid:	Strong oxidizers			
Hazardous Decomposition Products:	CO, CO2			
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur			
Conditions to Avoid:	None			
SECTION 11 TOXICOLOGICAL INFORMATION				
Acute Toxicity: Inhalation: Not available Ingestion:				
Rat, LD50 > 5000 mg/kg				
Eye: Rabbit, transient slight conjunctive	val irritation only.			
Skin: Rabbit, non-irritant				
Sensitization: Guinea pig, skin: Non-sensitizing	g			
Mutagenicity: Ames Test (Salmonella typhimurium): Negative				
Reproductive Toxicity: Not available				
Carcinogenicity: Not available				

Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at $1~\text{mg/m}^3$ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at $4~\text{mg/m}^3$, and a mild to moderate degree of fibrosis was observed in 92% of the animals at $16~\text{mg/m}^3$. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1225-0102 Product Code: 1369A / F41-6601

SECTION 12 ECC	DLOGICAL INFORMATION
Mobility:	Not available
Persistence / Degradabi	ility: Not available
Bioaccumulation:	Not available
Ecotoxicity:	Not available
Other Adverse Effects:	Not available
GEODION 12 DIGI	DOGAL CONCIDED ATTONG
	POSAL CONSIDERATIONS
container, unless dust	toner container into fire; heated toner may cause severe burns. DO NOT shred a toner explosion preventing measures are taken. Finely dispersed particles form explosive mixtures d be subject to federal, state and local laws.
SECTION 14 TRA	ANSPORT INFORMATION
<u>No</u>	one
UN Shipping Name: No	one
UN Classification: No	one
UN Packing Group: No	one
	Yes Chemical name (wt%): No
Special Precautions: No	one
SECTION 15 REC	GULATORY INFORMATION
< EU Information >	
Information on the La Symbol & Indication	
R-Phrase: Not required	
S-Phrase: Not required	
Dangerous Compon	nent(s):
Special Precautions Not required	under 1999/45/EC Annex V:
Specific Provisions in	Relation to Protection of Man or the Environment:
76/769/EEC: No.	ot regulated
(EC)2037/2000: No	ot regulated
(EC)304/2003: No	ot regulated
Others: No	one
< USA Information >	
Information on the La	bel:
	ot required
Hazard warning: Not required	

Page 6 of 6

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: TN1225-0102

Product Code: 1369A / F41-6601

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not a controlled product

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Revised information from the previous version: Entirely revised

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

 $EU\;ILV:\;Indicative\;Limit\;Values\;for\;Occupational\;Exposure\;under\;EU\;Directive\;91/322/EEC\;and\;2000/39/EC.$

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.