Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1057-0202 Product Code: 1366A / F41-6202

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Canon NP Toner (Black) for NP-6000/7000/8000 Series Copier **Product Name:**

Product Code: 1366A / F41-6202

Manufacturer: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Supplier: Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl_msds@canon.com.sg

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS < Ingredient(s) > CAS#/ Weight EU Symbol/ USA ACGIH TLV EU ILV DFG MAK Chemical Name / R-Phrase OSHA PEL EC# Generic Name % Polvester resin Confidential 55-65 None/ None Not established Not established Not established Not established Iron oxide 1317-61-9/ 30-40 None/ None Not established Not established Not established Not established 215-277-5 72869-85-3/ Not established Not established Not established hydrogen 1-2 Xn/ R22 Not established bis[3,5-di-tert-butylsalicyl 276-955-4 (as Cr: ato(2-)-O1,O2]chromate(1 0.1 - 0.2)

< Carcinogen > Chemical Name

CAS# Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Practically non-toxic based on animal testing. Ingestion is a minor route of entry for intended use of this product.

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

Date of Issue: Revised: June 10, 2005 February 8, 1990

Page 2 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1057-0202 Product Code: 1366A / F41-6202

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Date of Issue: February 8, 1990 Revised: June 10, 2005

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1057-0202 Product Code: 1366A / F41-6202

SECTION 8 EXPOSURE CONTR Exposure Guidelines:	OLS / PERSONAL PROTECTION
USA OSHA PEL (TWA): 15 mg/m³ (Tot ACGIH TLV (TWA): 10 mg/m³ (Inh	al dust), 5 mg/m³ (Respirable fraction) alable fraction), 3 mg/m³ (Respirable fraction) alable fraction), 1.5 mg/m³ (Respirable fraction)
Engineering Controls: Use adequate ventilation.	
Personal Protection Equipment(s):	
Respiratory Protection: ☐ Required ☑ Not Requi	ired
Eye/Face Protection: ☐ Required ☑ Not Requi	ired
Skin Protection: ☐ Required ☐ Not Required	ired
SECTION 9 PHYSICAL AND CH	EMICAL PROPERTIES
Appearance:	Black fine powder
Odor:	Slight plastic odor
pH:	Not applicable
Boiling Point/Range(°C):	Not applicable
Melting Point/Range(°C):	100-150 (Softening point)
Decomposition Temperature (°C):	> 200
Flash Point(°C):	Not applicable
Flammable (Explosive) Limits:	Not applicable
Autoignition Temperature (${}^{\circ}C$):	Not available
Flammability:	Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.
Oxidizing Properties:	Not available
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Density / Specific Gravity:	1.4-1.6
Water Solubility:	Negligible
Fat Solubility:	Partially soluble in toluene and xylene.
$\label{partition} \textbf{Partition Coefficient (n-Octanol/Water):}$	Not applicable
Percent Volatile:	Negligible
Evaporation Rate:	Not applicable
Viscosity (mPa s):	Not applicable

Date of Issue: February 8, 1990 Revised: June 10, 2005

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1057-0202 Product Code: 1366A / F41-6202

SECTION 10 STABILITY AND	REACTIVITY
Stability:	Stable Unstable
Conditions to Avoid:	None
Materials to Avoid:	Strong oxidizers
Hazardous Decomposition Products:	CO, CO2
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur
Conditions to Avoid:	None
SECTION 11 TOXICOLOGICA	AL INFORMATION
Acute Toxicity: Inhalation: Not available Ingestion:	
Rat, LD50 $>$ 5000 mg/kg	
Eye: Rabbit, transient slight conjuncti	val irritation only.
Skin: Rabbit, non-irritant	
Sensitization: Guinea pig, skin: Non-sensitizing	g
Mutagenicity: Ames Test (Salmonella typhimus	rium): Negative
Reproductive Toxicity: Not available	
Carcinogenicity: Not available	
0.4	

Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

June 10, 2005 Date of Issue: Revised: February 8, 1990

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1057-0202 Product Code: 1366A / F41-6202

SECTION 12 E	COLOGICAL INFORMATION	
Mobility:	Not available	
Persistence / Degrada	ability: Not available	
Bioaccumulation:	Not available	
Ecotoxicity:	Not available	
Other Adverse Effect	Not available	
CECTION 12 D	CROCAL CONCIDERATIONS	_
	SPOSAL CONSIDERATIONS	
container, unless d	or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner ast-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures all be subject to federal, state and local laws.	
SECTION 14 T	RANSPORT INFORMATION	
UN #:	None	
UN Shipping Name:	None	
UN Classification:	None	
UN Packing Group:	None	
	☐ Yes Chemical name (wt%): ▼ No	
Special Precautions:	None	
SECTION 15 R	EGULATORY INFORMATION	_
< EU Information >		
Information on the	Label: tion: Not required	
R-Phrase: Not required		
S-Phrase: Not required		
Dangerous Comp	onent(s):	
-	ns under 1999/45/EC Annex V: et available for professional user on request.	
Specific Provisions i	n Relation to Protection of Man or the Environment:	
76/769/EEC:	Not regulated	
(EC)2037/2000:	Not regulated	
(EC)304/2003:	Not regulated	
Others:	None	
< USA Information >		
Information on the	Label:	
	Not required	
Hazard warning: Not required		



MATERIAL SAFETY DATA SHEET

MSDS #: TN1057-0202 Product Code: 1366A / F41-6202

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical NameWeight %"Chromium(III) Compounds"1-2(as Cr)(0.1-0.2)

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not a controlled product

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

R-phrase list:

R22 - Harmful if swallowed.

Revised information from the previous version: Section 2

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue: February 8, 1990 Revised: June 10, 2005