

 imageFORMULA  
DR-G1130  
DR-G1100

**Canon**  
Delighting You Always

# PRODUCTIVITY MEETS VELOCITY



Your high volume, high velocity  
A3 PRODUCTION SCANNER.

Business *can* be simple

# HIGH SPEED + HIGH QUALITY = ULTIMATE PRODUCTION EFFICIENCY

DR-G1100/1130 is a production scanner that delivers high-speed scanning without compromising on reliability or quality. Whether on its own or as complement to your document management system, the DR-G1100/1130 will be a welcome addition to your office.

DR-G1130 130 ppm



DR-G1100 100 ppm



## EFFICIENCY MADE EASY

The DR-G1100/1130 is made to make your job easier. The intuitive Control Panel and Job Key helps you start and complete your tasks, while the Document Feed Tray adjusts itself to the height of the paper batch. All these features and more enable high volume, unattended batch scanning that frees you up to focus on other tasks.

## A RELIABLE WORKHORSE

The DR-G1100/1130 comes out of the box with a host of highly stable and reliable features. Our patented Ultrasonic Double Feed and Staple Detection reduces feeding errors, while Rapid Recovery helps to remedy the rare situations when they occur. Solidly built for heavy duty work, the DR-G1100/1130 just keeps going.

## IT'S SIMPLE TO SCAN

High image accuracy and quality are critical qualities of a good document conversion. They help record the information correctly for easier retrieval and regulatory compliance. The scanner's capturing and processing functions help you achieve optimal legibility and minimize the need for reprocessing.

## ACCELERATE YOUR PRODUCTIVITY

Designed to tackle the heaviest of workloads, the DR-G1100/1130 offers accelerated batch processing that is sure to please. Automatic document conversion capabilities combined with an impressive 130 pages per minute\* scan speed makes it easy for you to complete your tasks quickly and efficiently.

\* Landscape A4-sized sheets at 200dpi in color

## CANON'S INNOVATIVE IMAGE PROCESSING TECHNOLOGY

### ENGINEERED FOR HIGH-SPEED DOCUMENT SCANNING

		B&W SPEED	COLOR SPEED	AUTOMATIC DOCUMENT FEEDER
DR-G1130	Portrait	100 ppm	100 ppm	500 sheets
	Landscape	130 ppm	130 ppm	
DR-G1100	Portrait	75 ppm	75 ppm	500 sheets
	Landscape	100 ppm	100 ppm	

### ADVANCED IMAGE PROCESSING

Features such as enhanced line text, reduced moiré, unwanted background removal and more, all contribute to consistent image quality.

#### DESKEW



Skewed Image



Deskewed Image

#### DROPOUT AND COLOR ENHANCEMENT



Color Document



Image with Blue Drop-Out set (blue filtered)

#### PREVENT BLEED THROUGH/ REMOVE BACKGROUND



Original



On

#### REMOVE BINDER HOLES



Image with Binding Holes



Image without Binding Holes

#### SKIP BLANK PAGE



Two-Sided Documents with a Blank Side



Images with Blank Page Skipped

#### TEXT ENHANCEMENT



Original



On





## REFINED FOR OPTIMAL DOCUMENT HANDLING



### WORK- AND ENERGY-EFFICIENT

Like many of Canon's products, the DR-G1100/1130 is created 'green'. It requires less energy to run and costs less to operate. You can also configure settings to designate when it goes into Standby Mode to conserve energy.

### STAPLE DETECTION

Unremoved staples are a common source of scanning error that can result in document or equipment damage. Canon's Staple Detection feature automatically halts the scanning process when such an error is found.

### INTUITIVE CONTROL PANEL AND JOB KEY

DR-G1100/1130's Control Panel is a breeze to use. Ergonomically designed button configuration, combined with clear display and intuitive steps all make your task easier to fulfill. And for regular jobs, you can pre-set up to 99 settings to run automatically using the Job Key and Job Registration Tool.



### VARIOUS PAPER FEEDING MODES

DR-G1100/1130 features a versatile roller system that caters to a wide variety of paper types and usage. Normal, High Separation and Low Separation modes help ensure that you get a smooth feed — whether it is business cards or very thin paper.

## BUNDLED SOFTWARE

### Capture Perfect

Canon's own scanning application, CapturePerfect, makes great scans easy to acquire straight from the box through its user-friendly design. A wide array of file saving formats and file distribution options are at your disposal such as searchable and encrypted PDF, Scan to Mail, and more.

## KOFAX VIRTUALRESCAN BASIC



Leading image processing software, Kofax VRS Basic, helps you improve readability of multiple-size documents with varying degrees of quality. Automatically straighten skewed pages without character degradation, optimize a document's brightness/contrast levels, and even eliminate background noise and speckling.

## FLATBED SCANNER UNITS (OPTIONAL)

When you need to scan documents that aren't suitable for an automatic feeder, you can use the optional Flatbed Scanner Unit 101/201. They can be easily attached via USB cable and are designed to work seamlessly with the DR-G1100/1130.



Flatbed Scanner Unit 201  
(A3 size)



Flatbed Scanner Unit 101  
(A4 size)



## DR-G1100 / G1130 SPECIFICATIONS

Type	Desktop sheet-fed scanner		
Document feeding	Automatic or manual sheet feeding		
Document size	Width: 50.8 - 305 mm		
	Length: 70 - 432 mm; Long Document Mode: up to 3,000 mm		
Document thickness and weight	Continuous Feeding: 20 - 209 g/m <sup>2</sup> , 0.04 - 0.25 mm		
	Non-Separation Mode: 20 - 255 g/m <sup>2</sup> , 0.04 - 0.3 mm		
Feeding capacity	48 mm stack or 500 sheets of 80 g/m <sup>2</sup>		
Scanning element	3-line CMOS CIS		
Light source	LED (Red, Green, and Blue)		
Scanning side	Simplex / Duplex		
Scanning modes	Black and White, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, 256-level Grayscale, 24-bit Color, Auto Color Detection		
Scanning resolutions	150 x 150 dpi, 200 x 200 dpi, 240 x 240 dpi, 300 x 300 dpi, 400 x 400 dpi, 600 x 600 dpi		
Scanning speed* (A4/LTR, 200 dpi)		<b>DR-G1130</b>	<b>DR-G1100</b>
	B&W: Portrait	100 ppm (Simplex) / 200 ipm (Duplex)	75 ppm (Simplex) / 150 ipm (Duplex)
	Landscape	130 ppm (Simplex) / 260 ipm (Duplex)	100 ppm (Simplex) / 200 ipm (Duplex)
	Grayscale: Portrait	100 ppm (Simplex) / 200 ipm (Duplex)	75 ppm (Simplex) / 150 ipm (Duplex)
	Landscape	130 ppm (Simplex) / 260 ipm (Duplex)	100 ppm (Simplex) / 200 ipm (Duplex)
	Color: Portrait	100 ppm (Simplex) / 200 ipm (Duplex)	75 ppm (Simplex) / 150 ipm (Duplex)
	Landscape	130 ppm (Simplex) / 200 ipm (Duplex)	100 ppm (Simplex) / 200 ipm (Duplex)
Interface	Hi-Speed USB 2.0		
Scanner driver	ISIS / TWAIN		
Useful functions	Job Function, Ultrasonic Double-Feed Detection, Staple Detection, Text Enhancement, Dropout and Color Enhancement, Auto Page Size Detection, 3-D Color Correction, Image Rotation, Skip Blank Page, Edge Emphasis, Moiré Removal, Prevent Bleed Through / Remove Background, Contrast Adjustment, Shading Correction, Brightness Adjustment, Deskew, Border Removal, Scanning Side Selection, Scan Area Settings, Addon Settings, Text Orientation Recognition, Punch Hole Removal, Folio Scan, Unnecessary dots removal, Notch removal, Background Smoothing, Character Emphasis, Count Only Mode, Verify Scan, Rapid Recovery System, MultiStream™		
Power requirements	AC220-240V (50 / 60Hz)		
Power consumption	220-240V: 94.3W (Scanning), 1.7W (Sleep mode)		
Operating environment	10 - 32.5, Humidity: 20 - 80% RH		
Dimensions (W x D x H)	Feed trays closed: 480 x 535 x 315 mm		
Weight	Approx. 22.8 kg		
Options / Consumables	Imprinter Unit, Barcode Module, Patchcode Decoder, Exchange Roller Kit, Separation Pad, Imprinter Ink Cartridges, Flatbed Scanner Units		

\* Scanning speed may vary depending on PC environment, scanner settings, and other factors. Specifications are subject to change without notice.

For more information, please contact your Canon representative today.



Delighting You Always

### SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

#### Canon Singapore Pte. Ltd.

1 HarbourFront Ave, #04-01, Keppel Bay Tower, Singapore 098632  
Tel: 65-6799 8888 | Fax: 65-6799 8882  
www.canon-asia.com | www.canon.com.sg

### CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

#### Bangladesh

Flora Limited  
Flora Limited  
Adamjee Court Annex-2 (4<sup>th</sup> Floor)  
119-120 Motijheel Commercial Area  
Dhaka 1000 Bangladesh  
Tel: 880-2-716-2742-46 / 225  
Fax: 880-2-955-0030  
www.floralimited.com

J.A.N. Associates Ltd  
House 25, Road 5, Dhanmondi R/A,  
Dhaka-1205, Bangladesh  
Tel: (880) 2 8611444 / 9660601  
9664101 / 8124941  
Fax: (880) 2 8610410

#### Brunei

Interhouse Company  
No. 5-7 Bunut Jaya Complex  
Spg 574 Jalan Tutong BF1320  
P.O. Box 423, Seri Complex  
Bandar Seri Begawan BA 1779  
Brunei Darussalam  
Tel: 673-2-653-001  
Fax: 673-2-653-003

#### Cambodia

Royal Cambodia Co., Ltd  
#437 Preah Monivong Blvd  
Phnom Penh  
Kingdom of Cambodia  
Tel: 855-23-428955  
Fax: 855-23-722961

#### Hong Kong

Canon Hongkong Co. Ltd  
19F, The Metropolis Tower  
10 Metropolis Drive  
Hung Hom, Hong Kong  
Tel: 852-3191-2388  
Fax: 852-2369-3800  
www.canon.com.hk

#### India

Canon India Private Limited  
7<sup>th</sup> Floor, Tower B, Building #5  
DLF Cyber Terraces, DLF Phase-3  
Gurgaon - 122002  
Haryana, India  
Tel: 91-124-416 0000  
Fax: 91-124-416 0011  
www.canon.co.in

#### Indonesia

P. T. Datascrip  
Jl. Selaparang Blok B-15 Kav.9  
Kompleks Kemayoran  
Jakarta 10610, Indonesia  
Tel: 62-21-6544515  
Fax: 62-21-6544811 to 13  
www.datascrip.com

#### Malaysia

Canon Marketing (Malaysia) Sdn Bhd  
Block D, Peremba Square  
Saujana Resort Section U2,  
40150 Shah Alam  
Selangor Darul Ehsan, Malaysia  
Tel: 60-3-7844 6000 / 7845 0055  
Fax: 60-3-7844 6196 / 6198  
www.canon.com.my

#### Maldives

Simdi Company Pvt Ltd.  
G. Manaam Building,  
2/1 Neeloafaru Magu,  
Male' 20-129, Maldives  
Tel: 960-333 4421  
Fax: 960-333 4424

#### Myanmar

Myanmar Golden Rock International Co., Ltd  
Level 6, FJV Commercial Centre  
No: 422-426, Strand Road  
Botataung Township  
Yangon, Myanmar  
Tel: 95-1-202092 to 96  
Fax: 95-1-202079  
Email: sales@mgr.com.mm

#### Nepal

International Electronics Concern (P) Ltd  
Kha 14, 1<sup>st</sup> Floor  
Haratibhawan Putalisadak  
Ramshah Path, Kathmandu, Nepal  
P.O. Box 12588  
Tel: 977-1-442 1991  
Fax: 977-1-442 1909

#### Pakistan

Shirazi Trading Company (Pvt.) Ltd  
8<sup>th</sup> Floor, Adamjee House  
I.I. Chundrigar Road  
Karachi 74000 Pakistan  
Tel: 92-21-3241 (7659), (7737) or (7746)  
Fax: 92-21-(3241 7747), (3242 0417) or  
(3242 0418)  
www.shirazitradng.com.pk

#### Philippines

Canon Marketing (Philippines), Inc.  
Ground Floor Commerce and Industry Plaza.  
Campus Ave. Cor. Park Ave., McKinley Hill  
Fort Bonifacio, Taguig City  
Tel: 632-884-9000  
Fax: 632-556-1456  
www.canon.com.ph

#### Sri Lanka

Metropolitan Computers (Pvt.) Ltd  
85 Braybrooke, Place Colombo 2,  
Sri Lanka  
Tel: 94-11-2437797  
Fax: 94-11-2448980  
www.metropolitan.lk

#### Thailand

Canon Marketing (Thailand) Co. Ltd  
No.98 Sathorn Square Office Tower,  
21<sup>st</sup> - 24<sup>th</sup> floor, North Sathorn Road,  
Silom, Bangrak, Bangkok 10500  
Tel: 66-2-344 9999  
Fax: 66-2-344 9960  
www.canon.co.th

#### Vietnam

Canon Marketing Vietnam Company Limited  
Unit 6, 6<sup>th</sup> Floor, Saigon Centre  
65 Le Loi, District 1,  
Ho Chi Minh City, Vietnam  
Tel: 84-8-3820 0466  
Fax: 84-8-3820 0477  
www.canon.com.vn

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageFORMULA and Business can be simple are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks of their respective owners.

Dealer's Stamp

0173W975 © 2013 Canon Singapore Pte. Ltd.  
All rights reserved. Printed in Singapore.